Report: Evaluation Summary



545 SW 2nd Street. Corvallis OR. 97333 | 541.257.5002 | services@preelab.com | Preelab.com



Product Description

Client: Oregon Genetics Inc.

Product Name: Suver Haze

Matrix: Concentrate

Metrc Source ID: n/a
Metrc Package ID: n/a
License Number: n/a
Report ID: A1077-03
Date Collected: 2019-12-27
Date Received: 2020-01-06


Tests Requested: Cannabinoid Potency Analysis

Terpene Analysis

Notes: No special conditions were noted during the processing and testing of the sample.

Evaluation Summary

Moisture Analysis | Test Not Requested/Required



Report: Evaluation Summary



545 SW 2nd Street. Corvallis OR. 97333 | 541.257.5002 | services@preelab.com | Preelab.com



_	on Genetics Inc. r Haze	Terpene Analysis	l	Compound alpha-Pinene Camphene	Dry Wt. % 0.011% 0.005%	Compound Terpinolene Linalool	Dry Wt. %
Matrix: Conce Metrc ID: n/a Lot Number: n/a				Camphene		·	0.005%
Matrix: Conce Metrc ID: n/a Lot Number: n/a				•	0.005%	Linglool	
Metrc ID: n/a Lot Number: n/a	entrate			hata Dinama		Liliaiooi	0.0119
Metrc ID: n/a Lot Number: n/a	entrate			beta-Pinene	0.018%	Isopulegol	0.000%
Lot Number: n/a				beta-Myrcene	0.014%	Geraniol	0.0009
				delta-3-Carene	0.000%	beta-Caryophyllene	0.4129
License Number: 0				alpha-Terpinene	0.000%	alpha-Humulene	0.1189
				p-Cymene	0.000%	cis-Nerolidol	0.080%
				d-Limonene	0.088%	trans-Nerolidol	0.442%
Date Collected: 2019-	12-27			Eucalyptol	0.006%	Caryophyllene Oxide	0.009%
Date Received: 2019-	12-27			Ocimene	0.000%	Guaiol	0.000%
Report Date: 2020-	01-06			gamma-Terpinene	0.000%	alpha-Bisabolol	0.006%
0.500%						Total Terpenes =	1.22%
0.450%						_	
0.400%							
0.350%							
0.300%							
0.250%							
0.200%							
0.150%							
0.100%		_				_	
0.050%							
0.000%	heta Muche Schene binene och ell	_	_	_	Mere Hrainiere eroi	do dide dido dide Gusiol sphati	

Suver Haze has the highest concentration of the following terpene(s)...

trans-Nerolidol	beta-Caryophyllene	alpha-Humulene
Nerolidol has a fresh bark or woody aroma. It can be found in	Caryophyllene can be found at high concentrations in	Humulene has a distinct earthy, wood-like aroma.
jasmine, ginger, lavender, tea tree and lemon grass.	black pepper, cloves, and cinnamon. It has a	Found in hops, basil and cloves.
	spicy/peppery aroma.	







Report: Dear Customer

OLCC License No. 10087092BDA | ORELAP ID. 4147

545 SW 2nd Street. Corvallis OR. 97333 | 541.257.5002 | services@preelab.com | Preelab.com



Dear Oregon Genetics Inc.,

PREE Laboratory received samples on 2019-12-27, which were collected on 2019-12-27 by Caleb Mata. The results in this report are only applicable for the samples listed in this report.

All analyses were performed in accordance with PREE Laboratory NELAP/TNI approved quality control system unless otherwise noted in the case narrative of this report. All quality control data is within the laboratory's predefined acceptance criteria unless otherwise noted in the case narrative of this report.

The testing methods used are of sufficient sensitivity to meet the compliance criteria set in OAR 333-007, however it is the responsibility of the client to utilize the data to comply with standards set in OAR 333-007.

If you have any questions regarding information in this report, please feel free to call 541-257-5002 or email the laboratory at services@preelab.com.

Sardar, Tamzid | Laboratory Director

Corvallis, Oregon

Report: Case Narrative

OLCC License No. 10087092BDA | ORELAP ID. 4147

545 SW 2nd Street. Corvallis OR. 97333 | 541.257.5002 | services@preelab.com | Preelab.com



Case Narrative

This report presents the results of the analyses of the sample received on 2019-12-27 and assigned the Laboratory Number of - A1077-03. The subsequent data is only for the sample listed and parameters tested.

This report shall not be reproduced, except in full, without written consent of PREE Laboratory. This report may not be altered in anyway by any other entity beside PREE Laboratory, and will be noted on this case narrative if modifications are made after the initial release.

All analyses were performed in accordance with PREE Laboratory's Quality Control Program. All QC requirements were met, except as noted below.

Analytical comments are noted on the Certificate of Analysis with data flags, and/or recorded below.

Notes:

No special conditions were noted during the processing and testing of the sample.

Report: Evaluation Detail



OLCC License No. 10087092BDA | ORELAP ID. 4147
545 SW 2nd Street. Corvallis OR. 97333 | 541.257.5002 | services@preelab.com | Preelab.com

Moisture Analysis	Evaluation Detail
	Test Not Moisture Analysis Requested/Required

Cannabinoid Potency Analysis

Product Name: Suver Haze

Analysis Date: #N/A

Evaluation Detail

Cannabinoid Potency Analysis		Compound	Abrv.	Dry Wt. (%)	Dry Wt.	RL	(%)
Total THC *		Tetrahydro-cannabinolic acid	THCA	< LOQ	< LOQ	0).5 %
0.00 %		Delta9 Tetrahydro-cannabinol	Δ-9-THC	< LOQ	< LOQ	0).5 %
0.0 mg/g		Cannabidiolic acid	CBDA	0.96 %	9.6	0).5 %
		Cannabidiol	CBD	64.98 %	649.8	0).5 %
Total CBD *		Cannabidivarinic Acid	CBDVA	< LOQ	< LOQ	0).5 %
65.83 %		Cannabidivarin	CBDV	< LOQ	<loq< th=""><th>0</th><th>).5 %</th></loq<>	0).5 %
658.3 mg/g		Cannabigerolic acid	CBGA	< LOQ	<loq< th=""><th>0</th><th>).5 %</th></loq<>	0).5 %
		Cannabigerol	CBG	< LOQ	< LOQ	0).5 %
		Cannabinol	CBN	< LOQ	< LOQ	0).5 %
		Cannabicyclol	CBL	< LOQ	< LOQ	0).5 %
		Cannabichromene	CBC	< LOQ	< LOQ	0).5 %
		Delta8 Tetrahydro-cannabinol	Δ-8-THC	< LOQ	< LOQ	0).5 %
		Tetrahydrocannabivarin	THCV	< LOQ	< LOQ	0).5 %

 $^{^{\}ast}$ moisture compensated & adjusted for the loss of carboxylic acid group - OAR 333-064-0100

Report: Evaluation Detail



545 SW 2nd Street. Corvallis OR. 97333 | 541.257.5002 | services@preelab.com | Preelab.com



Terpene Analysis

Product Name: Suver Haze

Analysis Date: 2020-12-29

Evaluation Detail

Terpene Analysis	I	Compound	Dry Wt. %	Dry Wt. (mg/g)	RL %
	- 1	alpha-Pinene	0.011%	0.107	0.002%
		Camphene	0.005%	0.053	0.002%
	1	beta-Pinene	0.018%	0.178	0.002%
	-1	beta-Myrcene	0.014%	0.144	0.002%
		delta-3-Carene	0.000%	0.000	0.002%
		alpha-Terpinene	0.000%	0.000	0.002%
		p-Cymene	0.000%	0.000	0.002%
1		d-Limonene	0.088%	0.878	0.002%
		Eucalyptol	0.006%	0.055	0.002%
		Ocimene	0.000%	0.000	0.002%
		gamma-Terpinene	0.000%	0.000	0.002%
		Terpinolene	0.005%	0.046	0.002%
	-1	Linalool	0.011%	0.106	0.002%
		Isopulegol	0.000%	0.000	0.002%
		Geraniol	0.000%	0.000	0.002%
		beta-Caryophyllene	0.412%	4.119	0.002%
		alpha-Humulene	0.118%	1.176	0.002%
		cis-Nerolidol	0.080%	0.804	0.002%
		trans-Nerolidol	0.442%	4.416	0.002%
	1	Caryophyllene Oxide	0.009%	0.094	0.002%
		Guaiol	0.000%	0.000	0.002%
		alpha-Bisabolol	0.006%	0.064	0.002%
		Total Terpenes	1.22%	12.237	mg/g

Report: Quality Check



OLCC License No. 10087092BDA | ORELAP ID. 4147
545 SW 2nd Street. Corvallis OR. 97333 | 541.257.5002 | services@preelab.com | Preelab.com

Moisture Analysis	Quality Control Detail Moisture Analysis							
Cannabinoid Potency Analysis	Quality Control Detail							
Analysis Date: #N/A	Cannabinoid Potency Analysis	ı	Negative Control (P-BL)	Positive Control (LCS)	Expected Value (%)	Tested Value (%)	Pass Criteria	
	Tetrahydro-cannabinolic acid		0		< 0.1%	< 0.1%	< 0.1%	
	Delta9 Tetrahydro-cannabinol		0		< 0.1%	< 0.1%	< 0.1%	
	Cannabidiolic acid		0		< 0.1%	< 0.1%	< 0.1%	
	Cannabidiol		0		< 0.1%	< 0.1%	< 0.1%	
	Cannabinol		0		< 0.1%	< 0.1%	< 0.1%	
	Tetrahydro-cannabinolic acid			•	100.0%	91.3%	80%-120%	
	Delta9 Tetrahydro-cannabinol			•	100.0%	93.4%	80%-120%	
	Cannabidiolic acid			•	100.0%	87.5%	80%-120%	
	Cannabidiol			•	100.0%	86.2%	80%-120%	
	Cannabinol			•	100.0%	84.7%	80%-120%	

Report: Quality Check

OLCC License No. 10087092BDA | ORELAP ID. 4147

545 SW 2nd Street. Corvallis OR. 97333 | 541.257.5002 | services@preelab.com | Preelab.com



Terpene Analysis

Analysis Date: 2020-12-29

Quality Control Detail

Terpene Analysis	Negative Control	Expected Value (%)	Tested Value (%)	Pass Criteria	
alpha-Pinene	0	0.000%	0.000%	< 0.010%	
Camphene	0	0.000%	0.000%	< 0.010%	
beta-Pinene	0	0.000%	0.000%	< 0.010%	
beta-Myrcene	0	0.000%	0.000%	< 0.010%	
delta-3-Carene	0	0.000%	0.000%	< 0.010%	
alpha-Terpinene	0	0.000%	0.000%	< 0.010%	
p-Cymene	0	0.000%	0.000%	< 0.010%	
d-Limonene	0	0.000%	0.000%	< 0.010%	
Eucalyptol	0	0.000%	0.000%	< 0.010%	
Ocimene	0	0.000%	0.000%	< 0.010%	
gamma-Terpinene	0	0.000%	0.000%	< 0.010%	
Terpinolene	0	0.000%	0.000%	< 0.010%	
Linalool	0	0.000%	0.000%	< 0.010%	
Isopulegol	0	0.000%	0.000%	< 0.010%	
Geraniol	0	0.000%	0.000%	< 0.010%	
beta-Caryophyllene	0	0.000%	0.000%	< 0.010%	
alpha-Humulene	0	0.000%	0.000%	< 0.010%	
cis-Nerolidol	0	0.000%	0.000%	< 0.010%	
trans-Nerolidol	0	0.000%	0.000%	< 0.010%	
Caryophyllene Oxide	0	0.000%	0.000%	< 0.010%	
Guaiol	0	0.000%	0.000%	< 0.010%	
alpha-Bisabolol	0	0.000%	0.000%	< 0.010%	

Report: Definition

OLCC License No. 10087092BDA | ORELAP ID. 4147

545 SW 2nd Street. Corvallis OR. 97333 | 541.257.5002 | services@preelab.com | Preelab.com



Definitions

- PQL: Practical Quantitation Limit, this is the smallest amount the analyte can be measured at without estimation.
- Blank: A quality control sample that is free of the analyte being measured.
- Positive Control: A quality control sample with a known amount of the analyte used to demonstrate accuracy. The result is often
 expressed as a percent recovery.
- Field Duplicate: A second sample collected in the field using the same sampling method as the primary sample. The purpose is
 to demonstrate that the batch sampled is uniform.
- Action Limit: Analyte levels set by the state of Oregon indicating that follow-up action is necessary.
- Accreditation Status: Indication that the methodology, calibration, and laboratory QC used by PREE Laboratory for an analyte
 has been evaluated by a third-party auditor and determined to be accurate, precise, and selective.
- ppm: parts per million, equivalent to mg/g and mg/L.
- % Rec.: Percentage Recovery = [(Amount measured) / (Known amount)] * 100
- ND: The sample result is less than the PQL.

Calculations

Cannabinoid Potency: Wet WT% = (Exported concentration ppm) x (Dilution) x (Extraction Vol./Wet wt mg) x 100

Total THC% = (%THCA) x 0.877 + (%THC) Total CBD% = (%CBDA) x 0.877 + (%CBD)

Total THC (Dry WT)% = % total THC(wet) / [1-(% moisture/100)]
Total CBD (Dry WT)% = % total CBD(wet) / [1-(% moisture/100)]